

600 Series Blowguns



- Heavy duty metal blowgun.
- Standard 100mm nozzle plus flow control nozzle.
- 1/4 BSP Top and Bottom Inlets.




- Heavy Duty Metal Construction
- 100mm nozzle
- 1/4 BSP Inlet

Conical Nozzle Blowgun with Rubber Tip










Code	Description	
07-BGJ766	35" Nozzle	
07-BGJ771	Conical Nozzle	
07-BGJ774	BGJ774 18" Nozzle	
07-BGJ780	Safe-n-Quiet Nozzle	










Code	Description	
07-BGJ600	85mm Angled Nozzle.	
07-BGJ608	18" Nozzle	
07-BGJ610	Conical Nozzle	



07-BGJ610



Spare Nozzles for Airmaster & Power Range



Code	Description	
07-BGJ602	85mm Angled Nozzle.	
07-BGJ609	18" Nozzle	
07-BGJ616	Adjustable Contour Nozzle	
07-BGJ619	35" Nozzle	
07-BGJ781	Safe-n-Quiet Nozzle	

Jamec Blowguns



07-BGJ640

Dustmaster Pistol Grip


- 1/4 BSP Brass Inlet
- All Metal Body



Water Dispenser

- 1/4 BSP Inlet
- Dispenses 10 litres of water per minute at 60PSI

Jamec Brass Blowguns






1/4 BSP Inlets



Legris Safety Blowgun



Custom Blowgun Kits



- Available with quick couplers or threaded hose ends.
- Available with PVC hose, Polyurethance spiral hoses or nylon self sore hose.
- Contact the office for your requirements.



Wondergun - Air Blower and Vaccuum Gun Kit



07-WG5005

- Air Vacuum for Workshop, Car, Boat or Home
- Solid metal Air Blower for Workshop
- 3 Different
 Attachable Nozzles

NOZZLES AND WASHDOWN GUNS (Category 7)



Brass Fixed Fire Hose Nozzles



Brass Fire Hose Nozzles



Plastic Fire Hose Nozzles

Code	Male
07-BN08	1/2 BSPT
07-BN12	3/4 BSPT

Code	Female
07-BFN16	1" BSP
07-BFN24	1.1/2 BSP

Code	Female
07-PJN025	1" BSP
07-PJN038	1.1/2 BSP



Brass Fire Nozzle to suit 3/4 Garden Hose Couplers

Code: 07-FN12



Original Dinga Hot Wash Gun

- Max Temperature: 80°C
 - Working Pressure: 25bar (360psi)
- Water Flow: 25litres per min @ 5bar
- 1/2" BSP port size

Code: 07-DINGA



Insulated Water Nozzle 3/4 BSP Female

Code: 07-SN75

The German made DINGA hot wash gun is an extremely tough and durable water saving gun thanks to its high quality brass and stainless steel construction. It's rubber jacket protects the gun against shock, heat and cold conditions. It is also resistant to acidic and alkaline fluids.

The desired jet strength can be adjusted continuously from a fine spray mist to a concentrated jet.

SPARE PARTS AVAILABLE	
Code	Description
07-DPS	Rubber Protection Sleeve
07-DH	Rubber Handle
07-DJET	Nozzle Jet
07-DBOLT	Valve Bolt
07-DSPRING	Spring

TYRE INFLATORS (Category 7)



Code: 07-PCLMK4

The new AIRFORCE® MK4 Tyre Inflator is as robust as ever and highly accurate, offering leading inflation and deflation rates and high performance for both indoor and outdoor applications. Meanwhile the redesigned piston and seal arrangement means increased accuracy - cycle tests now give over 400,000 inflation cycles at 100% accuracy - over 50% more than previously!

By increasing the size of the viewing window to give a 20% larger field of view, and altering the graphic print to give a clearer scale reading the new gauge is even more user friendly.

With a new, modern slim line body design the gauge is now lighter yet more ergonomic to give increased comfort in use.

Digital Premium Tyre Inflator



- Dual Non Sealing Chuck
- Digital gauge measuring kpa, bar and psi
- Max Pressure 160psi (1100kpa)
- Depress trigger half way to deflate
- Ideal for Service Stations

Code: 07-TI000D

Digital Tyre Inflator



- Non Sealing Tyre Inflator
- Digital gauge measuring kpa, bar and psi

Code: 07-TI201D

Analogue Premium Tyre Inflator



- Dual non sealing chuck
- Analogue gauge kpa, bar and psi
- Max Pressure 150psi (1000kpa)
- Depress trigger half way to deflate
- Ideal for Service Stations

Code: 07-TI000

Jamec Bar Style Inflator



- Pressed steel operating lever
- Stainless steel spring
- Aluminium reader bar

Code: 07-TI100

TYRE INFLATORS (Category 7)

Jamec Analogue Tyre Inflator



- Supplied with official calibration certificate
- Laser etched serial number
- Dual Scale kpa and psi
- Max Pressure 138psi (950kpa)

Code: 07-TI2000

Jamec Dial Gauge Inflator



- 50mm gauge
- Clip on chuck

Code: 07-TI135

PCL SINGLE BARREL FOOT PUMP



PCL's single foot pump is gauge calibrated model with an easy to read dial gauge.

The all steel construction provides added strength and the barrel is pressure sealed to prevent leakage. It has a sturdy anti-slip pedal and rubber feet and is supplied with adaptors for air beds, bicycle valves and footballs.

- Steel construction for added strength
- Anti corrosive finish
- · Barrel pressure sealed to prevent leakage
- Gauge calibrated 0-100 psi and 0-7 bar

TYRE VALVE TOOLS (Category 7)

PCL 4 in 1 TYRE VALVE TOOL



This versatile 4-in-1 tool offers these functions:

- 1. Rethread the external part of the valve stem
- 2. Rethread the inside of the valve stem
- 3. Remove the valve core
- 4. Extract a damaged valve core
- Manufactured from case-hardened mild steel
- Zinc-plated finish

TYRE CHUCKS (Category 7)



Clip on Non-sealing chuck with 1/4 Hosetail

Code	Type
07-TC292	Standard Bore
07-TC294	Large Bore



Hold on sealing angled chuck. 1/4 BSP Female

Code: 07-TC300



Clip on angled chuck. 1/4 BSP Female

Code	Type
07-TC301	Sealing
07-TC460	Non Sealing



Clip on sealing sleeve type chuck. 1/4 NPT Female

Code: 07-TC340



Straight Clip on chuck. 1/4 BSP Female

Code	Type
07-TC446	Sealing
07-TC447	Non Sealing



Large Bore Clip on chuck. 1/4 NPT Female

Code	Type
07-TC498	Sealing
07-TC497	Non Sealing



Hold on dual chuck. 1/4 BSP Female with Rubber Handle

Code	Туре
07-TC302	Sealing
07-TC465	Non Sealing



Clip on sealing dual chuck. 1/4 BSP Female with Rubber Handle

Code: 07-TC303



Hold on sealing dual chuck. 1/4 BSP Female

Code: 07-TC304



Ryco straight hold on sealing chucks

Code	Туре
07-TCR216	Ryco 200 Adaptor

TYRE GAUGES (Category 7)



- 50mm Face
- 0-60psi Pressure Range
- Housing: Steel
- Ring: Chrome
- Stem with release button

Code	Chuck
07-TG012	Straight
07-TG032	Angled

Truck Tyre Gauge



Code: 07-TG41

- 50mm Face
- 0-160psi Pressure
- Housing: Steel
- Ring: Chrome
- Release button
- NBR Braided Hose
- Dual Chuck

