

Stainless Steel Push-In Fittings. Imperial (Category 23)



Male
Connector

Code	Tube	Male
23-003-0202	1/8	1/8 BSPT
23-003-0204	1/8	1/4 BSPT
23-003-02M05	1/8	M5x0.8
23-003-0302	3/16	1/8 BSPT
23-003-0402	1/4	1/8 BSPT
23-003-0404	1/4	1/4 BSPT
23-003-0406	1/4	3/8 BSPT
23-003-0604	3/8	1/4 BSPT
23-003-0606	3/8	3/8 BSPT
23-003-0608	3/8	1/2 BSPT
23-003-0806	1/2	3/8 BSPT
23-003-0808	1/2	1/2 BSPT



Tube
Union

Code	Tube
23-004-02	1/8
23-004-03	3/16
23-004-04	1/4
23-004-06	3/8
23-004-08	1/2



Reducing
Tube
Union

Code	Tube	Tube
23-004R-0504	5/16	1/4
23-004R-0605	3/8	5/16
23-004R-0806	1/2	3/8



Male Elbow
Connector

Code	Tube	Male
23-005-0202	1/8	1/8 BSPT
23-005-0204	1/8	1/4 BSPT
23-005-02M05	1/8	M5x0.8
23-005-0302	3/16	1/8 BSPT
23-005-0402	1/4	1/8 BSPT
23-005-0404	1/4	1/4 BSPT
23-005-0604	3/8	1/4 BSPT
23-005-0606	3/8	3/8 BSPT
23-005-0806	1/2	3/8 BSPT
23-005-0808	1/2	1/2 BSPT



Female
Connector

Code	Tube	Female
23-010-0202	1/8	1/8 BSP



Tube
Union
Elbow

Code	Tube
23-011-02	1/8
23-011-03	3/16
23-011-04	1/4
23-011-06	3/8
23-011-08	1/2



Male
Branch
Tee

Code	Tube	Male
23-012-0202	1/8	1/8 BSPT
23-012-0204	1/8	1/4 BSPT
23-012-02M05	1/8	M5x0.8
23-012-0404	1/4	1/4 BSPT
23-012-0606	3/8	3/8 BSPT
23-012-0808	1/2	1/2 BSPT




Tube
Union
Tee

Code	Tube
23-014-02	1/8
23-014-03	3/16
23-014-04	1/4
23-014-06	3/8
23-014-08	1/2



Bulkhead
Tube
Union

Code	Tube
23-031-02	1/8
23-031-03	3/16
23-031-04	1/4
23-031-06	3/8
23-031-08	1/2



Reducing
Tube Union
Tee

Code	Tube A	Tube B
23-014R-02M04	1/8	4mm



Female
Bulkhead
Connector

Code	Tube	Female
23-031F-0204	1/8	1/4 BSP




Tube
Plug

Code	Tube
23-064-02	1/8
23-064-04	1/4
23-064-06	3/8
23-064-08	1/2



Stem
Reducer

Code	Stem	Tube
23-072A-0504	5/16	1/4
23-072A-0605	3/8	5/16
23-072A-0806	1/2	3/8



Tube
Union
Y

Code	Tube
23-075-02	1/8
23-075-04	1/4
23-075-06	3/8
23-075-08	1/2



Stainless Steel Twin Ferrule
Compression Fittings also available.
Refer to Category 29

Stainless Steel Push-In Fittings. Metric (Category 23)



Male
Connector

Code	Tube	Male
23-M003-0402	4mm	1/8 BSPT
23-M003-0404	4mm	1/4 BSPT
23-M003-04M05	4mm	M5x0.8
23-M003-0602	6mm	1/8 BSPT
23-M003-0604	6mm	1/4 BSPT
23-M003-0606	6mm	3/8 BSPT
23-M003-06M05	6mm	M5x0.8
23-M003-0802	8mm	1/8 BSPT
23-M003-0804	8mm	1/4 BSPT
23-M003-0806	8mm	3/8 BSPT
23-M003-0808	8mm	1/2 BSPT
23-M003-1002	10mm	1/8 BSPT
23-M003-1004	10mm	1/4 BSPT
23-M003-1006	10mm	3/8 BSPT
23-M003-1008	10mm	1/2 BSPT
23-M003-1204	12mm	1/4 BSPT
23-M003-1206	12mm	3/8 BSPT
23-M003-1208	12mm	1/2 BSPT
23-M003-1606	16mm	3/8 BSPT
23-M003-1608	16mm	1/2 BSPT



Tube
Union

Code	Tube
23-M004-04	4mm
23-M004-06	6mm
23-M004-08	8mm
23-M004-10	10mm
23-M004-12	12mm
23-M004-16	16mm



Reducing
Tube
Union

Code	Tube	Tube
23-M004R-04I02	4mm	1/8
23-M004R-0604	6mm	4mm
23-M004R-0806	8mm	6mm
23-M004R-1008	10mm	8mm
23-M004R-1210	12mm	10mm
23-M004R-1612	16mm	12mm



Male Elbow
Connector

Code	Tube	Male
23-M005-0402	4mm	1/8 BSPT
23-M005-0404	4mm	1/4 BSPT
23-M005-04M05	4mm	M5x0.8
23-M005-0602	6mm	1/8 BSPT
23-M005-0604	6mm	1/4 BSPT
23-M005-0606	6mm	3/8 BSPT
23-M005-06M05	6mm	M5x0.8
23-M005-0802	8mm	1/8 BSPT
23-M005-0804	8mm	1/4 BSPT
23-M005-0806	8mm	3/8 BSPT
23-M005-1002	10mm	1/8 BSPT
23-M005-1004	10mm	1/4 BSPT
23-M005-1006	10mm	3/8 BSPT
23-M005-1008	10mm	1/2 BSPT
23-M005-1204	12mm	1/4 BSPT
23-M005-1206	12mm	3/8 BSPT
23-M005-1208	12mm	1/2 BSPT
23-M005-1606	16mm	3/8 BSPT
23-M005-1608	16mm	1/2 BSPT



Female
Connector

Code	Tube	Female
23-M010-0402	4mm	1/8 BSP
23-M010-0404	4mm	1/4 BSP
23-M010-0602	6mm	1/8 BSP
23-M010-0604	6mm	1/4 BSP
23-M010-0606	6mm	3/8 BSP
23-M010-0802	8mm	1/8 BSP
23-M010-0804	8mm	1/4 BSP
23-M010-0806	8mm	3/8 BSP
23-M010-1004	10mm	1/4 BSP
23-M010-1006	10mm	3/8 BSP
23-M010-1204	12mm	1/4 BSP
23-M010-1206	12mm	3/8 BSP
23-M010-1606	16mm	3/8 BSP
23-M010-1608	16mm	1/2 BSP



Tube
Union
Elbow

Code	Tube
23-M011-04	4mm
23-M011-06	6mm
23-M011-08	8mm
23-M011-10	10mm
23-M011-12	12mm
23-M011-16	16mm



Male
Branch
Tee

Code	Tube	Male
23-M012-0402	4mm	1/8 BSPT
23-M012-0404	4mm	1/4 BSPT
23-M012-04M05	4mm	M5x0.8
23-M012-0602	6mm	1/8 BSPT
23-M012-0604	6mm	1/4 BSPT
23-M012-0606	6mm	3/8 BSPT
23-M012-06M05	6mm	M5x0.8
23-M012-0802	8mm	1/8 BSPT
23-M012-0804	8mm	1/4 BSPT
23-M012-0806	8mm	3/8 BSPT
23-M012-1002	10mm	1/8 BSPT
23-M012-1004	10mm	1/4 BSPT
23-M012-1006	10mm	3/8 BSPT
23-M012-1008	10mm	1/2 BSPT
23-M012-1204	12mm	1/4 BSPT
23-M012-1206	12mm	3/8 BSPT
23-M012-1208	12mm	1/2 BSPT
23-M012-1606	16mm	3/8 BSPT
23-M012-1608	16mm	1/2 BSPT



Tube
Union
Tee

Code	Tube
23-M014-04	4mm
23-M014-06	6mm
23-M014-08	8mm
23-M014-10	10mm
23-M014-12	12mm
23-M014-16	16mm

Stainless Steel Push-In Fittings. Metric (Category 23)



Reducing
Tube Union
Tee

Code	Tube A	Tube B
23-M014R-0406	4mm	6mm
23-M014R-0608	6mm	8mm
23-M014R-0810	8mm	10mm
23-M014R-1012	10mm	12mm
23-M014R-1216	12mm	16mm



Bulkhead
Tube
Union

Code	Tube
23-M031-04	4mm
23-M031-06	6mm
23-M031-08	8mm
23-M031-10	10mm
23-M031-12	12mm
23-M031-16	16mm



Stem
Reducer

Code	Stem	Tube
23-M072A-04I02	4mm	1/8
23-M072A-0604	6mm	4mm
23-M072A-0806	8mm	6mm
23-M072A-1008	10mm	8mm
23-M072A-1210	12mm	10mm
23-M072A-1612	16mm	12mm




Female
Bulkhead
Connector

Code	Tube	Female
23-M031F-0402	4mm	1/8 BSP
23-M031F-0404	4mm	1/4 BSP
23-M031F-0602	6mm	1/8 BSP
23-M031F-0604	6mm	1/4 BSP
23-M031F-0606	6mm	3/8 BSP
23-M031F-0802	8mm	1/8 BSP
23-M031F-0804	8mm	1/4 BSP
23-M031F-0806	8mm	3/8 BSP
23-M031F-1004	10mm	1/4 BSP
23-M031F-1006	10mm	3/8 BSP
23-M031F-1206	12mm	3/8 BSP
23-M031F-1208	12mm	1/2 BSP
23-M031F-1606	16mm	3/8 BSP
23-M031F-1608	16mm	1/2 BSP




Tube
Plug

Code	Tube
23-M064-04	4mm
23-M064-06	6mm
23-M064-08	8mm
23-M064-10	10mm
23-M064-12	12mm
23-M064-16	16mm



Tube
Union
Y

Code	Tube
23-M075-04	4mm
23-M075-06	6mm
23-M075-08	8mm
23-M075-10	10mm
23-M075-12	12mm
23-M075-16	16mm




PTFE and FEP140 Tube also available, along with nylon, polyurethane and polyethylene.

Refer to Category 14

We also stock a full range of 316 Stainless Steel screwed adaptors, hose tails and weld on nipples.

Refer to Category 31 or contact the sales office for further details.



We also stock a full range of D.O.T. approved airbrake push-in fittings.

Refer to Category 88 or contact the sales office for further details.

Thread Sealants & Lockers. (Category 24)



Manufactured in England since 1992, Bondloc offers a comprehensive range of adhesives, thread lockers and sealants to meet all of your requirements.

Thread Sealants

B542 Hydraulic Sealant is a medium strength thixotropic liquid which cures anaerobically to form a tough, high pressure seal on all types of threaded couplings used on low, medium and high pressure lines. Used on all types of hydraulic connections. Seals up to 400bar on 3/4 fittings. Easily dismantled with hand tools.

Code	Tube Size
24-B542-050	50ml
24-B542-250	250ml



B569 Hydraulic Sealant is a high strength thixotropic liquid which cures anaerobically to form a tough, high pressure seal on all types of threaded couplings used on low, medium and high pressure lines. Ideal for finer threads used in hydraulic and pneumatic applications requiring zero contamination. Seals up to 400bar on 20mm fittings. Can be dismantled with tools or excessive heat.

Code	Tube Size
24-B569-050	50ml



B567 is an easy to break sealing and locking action product that gives an instant low pressure seal. It provides an instant seal up to 1000psi and seals up to 10000psi when fully cured. The fast curing time allows quick assembly and prevents galling. It has excellent solvent resistance and withstands temperatures up to 204°C. It is ideal for stainless steel, aluminium, galvanized metal and other inert metals.

Code	Tube Size
24-B567-065	65ml
24-B567-250	250ml



B577 Pipe Sealant is an AGA Approved high viscosity thixotropic gel paste which cures rapidly, sealing instantly to 10bar. When cured it resists pressure up to 350bar. It has good chemical/solvent resistance to ethanol, motor oil, unleaded petrol, acetone and brake fluid. Suitable for gas.

AGA approval 7714

Code	Tube Size
24-B577-050	50ml
24-B577-250	250ml



Anti-Seize

The Bondloc Anti-Seize range has been developed to protect metal parts from corrosion, galling and seizing and reduces wear in heavy pressure applications. Mated parts can be removed more easily and in a clean condition.



B771 Nickel Anti-Seize is a Graphite and nickel fortified lubricant. Withstands temperatures from -54°C to 1500°C. Lubricates and seals in harsh chemical environments. Recommended for metal fittings and pipe threads in environments where a clean inert lubricant is required.

Code	Can Size
24-B771-500	500g Brushtop

B772 Copper Anti-Seize is a Graphite and copper fortified lubricant. Protects metal parts from high temperature, seizing, galling and corrosion at temperatures from -30°C to 1000°C. Copper anti-seize can be used on copper, brass, cast iron, steel, all alloys including stainless steel. Can also be used on plastics and all non metallic parts.

Code	Can Size
24-B772-500	500g Brushtop

B773 Silver Anti-Seize is a Graphite and metallic flake fortified lubricant. Withstands temperatures from -54°C to 1100°C. A heavy duty, general purpose lubricant, recommended for close tolerance assemblies, fine threads and tight slip fits. Specifically designed for the same applications as Copper Anti Seize but where there is a prejudice against the presence of copper or lead. It is particularly recommended for use where contact with chemicals that react with copper is likely to be experienced and where lead must be excluded from possible contact with foodstuffs and potable water.

Code	Can Size
24-B773-500	500g Brushtop